


AMENDMENTS TO THE CLAIMS

1-6. Canceled

7. (Original) An azomethine dye compound represented by formula (II):

formula (II)



wherein Q represents a residue that forms, together with the $-\text{N}-\text{C}=\text{N}-$ moiety, a nitrogen-containing 6-membered ring; R_A represents an aryl group, a heterocyclic group, or an $-(\text{R}_1)_r-(\text{R}_4)_m$ group; X represents an aryl group;


wherein,

when R_A represents an $-(\text{R}_1)_r-(\text{R}_4)_m$ group, R_1 represents a methylene group, a methine group, or a carbon atom; r represents an integer of 1 to 30, and R_1 s may be the same or different

independently, when r is 2 or more; R_4 represents a substituent except for a hydrogen atom; m represents an integer of 1 to 30, and R_4 s may be the same or different independently, or R_4 s may be combine together to form a multiple bond, or alternatively R_4 s may bond with each other to form a ring, when m is 2 or more; and the $-(R_1)_r-(R_4)_m$ group does not represent a straight-chain alkyl group; R_5 and R_6 each represent a hydrogen atom or a substituent, or R_5 and R_6 may bond with each other to form a ring; R_7 represents a hydrogen atom or a substituent; n represents 0 (zero) or an integer of 1 to 4, with the proviso that R_7 s may be the same or different independently, or R_7 s may bond with each other to form a condensed ring, n is 2 or more; or R_7 may bond with R_5 or R_6 to form a condensed ring, n is 1 or more.

8. (Original) The azomethine dye compound as claimed in claim 7, wherein the azomethine dye compound represented by formula (II) is represented by formula (IIA):

formula (IIA)




wherein Q represents a residue that forms, together with the -N-C=N- moiety, a nitrogen-containing 6-membered ring; R_{11} represents an aryl group or a heterocyclic group; X represents an aryl group; R_5 and R_6 each represent a hydrogen atom or a substituent, or R_5 and R_6 may bond with each other to form a ring; R_7 represents a hydrogen atom or a substituent; n represents 0 (zero) or an integer of 1 to 4, with the proviso that R_7 s may be the same or different independently, or R_7 s may bond with each other to form a condensed ring, when n is 2 or more; or R_7 may bond with R_5 or R_6 to form a condensed ring, when n is 1 or more.

9. (Original) The azomethine dye compound as claimed in claim 8, wherein, in the azomethine dye compound represented by formula (IIA), Q is a residue that forms, together with the -N-C=N- moiety, a 4-pyrimidone ring.

10. (Original) The azomethine dye compound as claimed in claim 7, wherein the azomethine dye compound represented by formula (II) is represented by formula (IIB):

formula (IIB)



wherein Q represents a residue that forms, together with the -N-C=N- moiety, a nitrogen-containing 6-membered ring; R₁ represents a methylene group, a methine group, or a carbon atom; r represents an integer of 1 to 30, and R₁s may be the same or different independently, when r is 2 or more; R₄ represents a substituent except for a hydrogen atom; m represents an integer of 1 to 30, and R₄s may be the same or different independently, or R₄s may be combined together to form a multiple bond, or

alternatively R₄s may bond with each other to form a ring, when m is 2 or more; X represents an aryl group; and the -(R₁)_r-(R₄)_m group does not represent a straight-chain alkyl group; R₅ and R₆ each represent a hydrogen atom or a substituent, or R₅ and R₆ may bond with each other to form a ring; R₇ represents a hydrogen atom or a substituent; n represents 0 (zero) or an integer of 1 to 4, with the proviso that R₇s may be the same or different independently, or R₇s may bond with each other to form a condensed ring, when n is 2 or more; or R₇ may bond with R₅ or R₆ to form a condensed ring, when n is 1 or more.

11. (Original) The azomethine dye compound as claimed in claim 10, wherein, in the azomethine dye compound represented by formula (IIB), Q is a residue that forms, together with the -N-C=N- moiety, a 4-pyrimidone ring; and R₄ is a group selected from the group consisting of an alkyl group, an alkenyl group, an aryl group, a heterocyclic group, a halogen atom, an amino group, a hydroxyl group, a carboxyl group, a sulfo group, an acylamino group, an alkyl- or aryl-sulfonylamino group, a carbamoyl group, a sulfamoyl group, an acyl group, a sulfonyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, an alkylthio group, an arylthio group, a cyano group, an alkoxy group and an aryloxy group.


12. (Original) The azomethine dye compound as claimed in claim 10, wherein, in the azomethine dye compound represented by formula (IIB), at least one R₄ bonds with a carbon atom at at least one α - to δ -positions in the (R₁)_r.

13. Cancelled

14. (Original) The azomethine dye compound as claimed in claim 7, wherein Q represents a residue that forms, together with the -N-C=N moiety, a nitrogen-containing 6-membered ring, wherein the members of the nitrogen-containing 6-membered ring are selected from the group consisting of nitrogen and carbon.

15. (Currently Amended) A compound represented by formula (I):

formula (I)




wherein Q represents a residue that forms, together with the -N-C=N- moiety, a nitrogen-containing 6-membered ring; R_A represents ~~an aryl group~~, a heterocyclic group, or an -(R₁)_r-(R₄)_m group; X represents an aryl group; Y represents a hydrogen atom, or a group that is capable of being split-off upon a coupling reaction with an oxidized product of a developing agent:

wherein,

when R_A represents an $-(R_1)_r-(R_4)_m$ group, R_1 represents a methylene group, a methine group, or a carbon atom; r represents an integer of 1 to 30, and R_1 s may be the same or different independently, when r is 2 or more; R_4 represents a substituent except for a hydrogen atom; m represents an integer of 1 to 30, and R_4 s may be the same or different independently, or R_4 s may be combined together to form a multiple bond, or alternatively R_4 s may bond with each other to form a ring, when m is 2 or more; and the $-(R_1)_r-(R_4)_m$ group does not represent a straight-chain alkyl group.

16. (Currently Amended) The compound ~~as claimed in claim 15, wherein the compound represented by formula (I)~~ is represented by formula (IA):

formula (IA)




wherein Q represents a residue that forms, together with the -N-C=N- moiety, a nitrogen-containing 6-membered ring; R_{11} represents an aryl group ~~or a heterocyclic group~~; X represents

an aryl group; Y represents ~~a hydrogen atom, or~~ a group that is capable of being split-off upon a coupling reaction with an oxidized product of a developing agent.

17. (Original) The compound as claimed in claim 16, wherein, in the compound represented by formula (IA), Q is a residue that forms, together with the -N-C=N moiety, a 4-pyrimidone ring.

18. (Original) The compound as claimed in claim 15, wherein the compound represented by formula (I) is represented by formula (IB):

formula (IB)



wherein Q represents a residue that forms, together with the -N-C=N- moiety, a nitrogen-containing 6-membered ring; R_1 represents a methylene group, a methine group, or a carbon atom; r represents an integer of 1 to 30, and R_1 s may be the same or different independently, when r is 2 or more; R_4 represents a

substituent except for a hydrogen atom; m represents an integer of 1 to 30, and R_4 s may be the same or different independently, or R_4 s may be combined together to form a multiple bond, or alternatively R_4 s may bond with each other to form a ring, when m is 2 or more; X represents an aryl group; Y represents a hydrogen atom, or a group that is capable of being split-off upon a coupling reaction with an oxidized product of a developing agent; and the $-(R_1)_r-(R_4)_m$ group does not represent a straight-chain alkyl group.


19. (Original) The compound as claimed in claim 18, wherein, in the compound represented by formula (IB), Q is a residue that forms, together with the $-N-C=N$ moiety, a 4-pyrimidone ring; and R_4 is a group selected from the group consisting of an alkyl group, an alkenyl group, an aryl group, a heterocyclic group, a halogen atom, an amino group, a hydroxyl group, a carboxyl group, a sulfo group, an acylamino group, an alkyl- or arylsulfonylamino group, a carbamoyl group, a sulfamoyl group, an acyl group, a sulfonyl group, an alkoxycarbonyl group, an aryloxycarbonyl group, an alkylthio group, an arylthio group, a cyano group, an alkoxy group and an aryloxy group.

20. (Original) The compound as claimed in claim 18, wherein, in the compound represented by formula (IB), at least one R_4 bonds with a carbon atom at at least one α - to δ -positions in the $(R_1)_r$.

21. (Original) The compound as claimed in claim 15, wherein Q represents a residue that forms, together with the -N-C=N moiety, a nitrogen-containing 6-membered ring, wherein the members of the nitrogen-containing 6-membered ring are selected from the group consisting of nitrogen and carbon.

22. (New) A compound represented by formula (IA)' :

formula (IA)'



wherein Q' represents $-C(-R_2)=C(-R_3)-CO-*$, in which R_2 and R_3 form a 5- to 7-membered ring together with the $-C=C-$ moiety, or R_2 and R_3 each independently represent a hydrogen atom or a substituent, and * indicates the position where Q' bonds to the nitrogen atom of the $N-R_{11}$ moiety; R_{11} represents an aryl group; X represents an aryl group; and Y' represents a hydrogen atom.